SINGLE PEDESTAL SINGLE WATER FEED MONOBLOCK with lever control and standard rose head gun

FULL HEIGHT 1050mm

Add 150mm if bowl filler is used

(M) 1/2-inch connection
Tap hole req.: 25mm dia.

AquaJet 10 **STANDARD**

WRAS APPROVED PRODUCT

Model	Description	
AJPR10-ST-BF0-S	AJPR10 base / STANDARD style / No bowl filler / STANDARD gun	

680mm

(M) 1/2-inch connection
Tap hole req.: 25mm dia.

AquaJet 10 **SHORT**

WRAS APPROVED PRODUCT

Model	Description	
AJPR10-SH-BF0-S	AJPR10 base / SHORT style / No bowl filler / STANDARD gun	

540mm

(M) 1/2-inch connection
Tap hole req.: 25mm dia.

AquaJet 10 **'SUPER' SHORT**

WRAS APPROVED PRODUCT

Model	Description	
AJPR10-SS-BF0-S	AJPR10 base / 'SUPER' SHORT style / No bowl filler / STANDARD gun	

310mm

650mm
(Hose Length 320mm)

FULL HEIGHT 960mm

Add 130mm if bowl filler is used

(M) 1/2-inch connection.
Tap hole req.: 25mm dia.

AquaJet 10H **HANGMAN**

Model	Description	
AJPR10-HM-BF0-S	AJPR10 base / HANGMAN style / No bowl filler / STANDARD gun	

SINGLE PEDESTAL TWIN WATER (MIXED) FEED MONOBLOCK with lever controls and standard rose head gun

FULL HEIGHT 1050mm

Add 150mm if bowl filler is used

192mm

2x (M) 1/2-inch connections
Tap hole req.: 30mm dia.

AquaJet 20 STANDARD

WRAS APPROVED PRODUCT

Model	Description	
AJPR20-ST-BF0-S	AJPR20 base / STANDARD style / No bowl filler / STANDARD gun	

680mm

192mm

2x (M) 1/2-inch connections
Tap hole req.: 30mm dia.

AquaJet 20 SHORT

WRAS APPROVED PRODUCT

Model	Description	
AJPR20-SH-BF0-S	AJPR20 base / SHORT style / No bowl filler / STANDARD gun	

540mm

192mm

2x (M) 1/2-inch connections
Tap hole req.: 30mm dia.

AquaJet 20 'SUPER' SHORT

WRAS APPROVED PRODUCT

Model	Description	
AJPR20-SS-BF0-S	AJPR20 base / 'SUPER' SHORT style / No bowl filler / STANDARD gun	

310mm

650mm
(Hose Length 320mm)

FULL HEIGHT 960mm

Add 130mm if bowl filler is used

193mm

2x (M) 1/2-inch connections.
Tap hole req.: 30mm dia.

AquaJet 20H HANGMAN

Model	Description	
AJPR30-HM-BF0-S	AJPR20 base / HANGMAN style / No bowl filler / STANDARD gun	

TWIN PEDESTAL TWIN WATER (MIXED) FEED with lever controls and standard rose head gun

FULL HEIGHT 1050mm

Add 150mm if bowl filler is used

Adjusts from 170 - 230mm

2x (M) 1/2-in connections
Tap hole req.: 2x 25mm dia.

AquaJet 30 — STANDARD

Model	Description	
AJPR30-ST-BF0-S	AquaJet 30 base / STANDARD style / No bowl filler / STANDARD gun	

690mm

Adjusts from 170 - 230mm

2x (M) 1/2-in connections
Tap hole req.: 2x 25mm dia.

AquaJet 30 — SHORT

Model	Description	
AJPR30-SH-BF0-S	AJPR30 base / SHORT style / No bowl filler / STANDARD gun	

550mm

Adjusts from 170 - 230mm

2x (M) 1/2-in connections
Tap hole req.: 2x 25mm dia.

AquaJet 30 — 'SUPER' SHORT

Model	Description	
AJPR30-SS-BF0-S	AJPR30 base / 'SUPER' SHORT style / No bowl filler / STANDARD gun	

310mm

650mm (Hose Length 320mm)

FULL HEIGHT 965mm

Add 130mm if bowl filler is used

Adjusts from 170-230mm

2x (M) 1/2-in connections.
Tap hole req.: 2x 25mm dia.

AquaJet 30H — HANGMAN

Model	Description	
AJPR30-HM-BF0-S	AJPR30 base / HANGMAN style / No bowl filler / STANDARD gun	

WRAS APPROVED PRODUCT

SINGLE PEDESTAL SINGLE WATER FEED MONOBLOCK with lever control and standard rose head gun

FULL HEIGHT **1050mm**

Add 150mm if bowl filler is used

(F) 1/2-inch connection
Tap hole req.: 25mm dia.

AquaJet 15

| Model	Description	
AJPR15-ST-BF0-S	AJPR15 base / STANDARD style / No bowl filler / STANDARD gun	

TWIN PEDESTAL TWIN WATER (MIXED) FEED with lever controls and standard rose head gun

FULL HEIGHT **1050mm**

Add 150mm if bowl filler is used

Adjusts from 195 – 210mm

2x (F) 1/2-inch connections
Tap hole req.: 2x 25mm dia.

AquaJet 40

Model	Description	
AJPR40-ST-BF0-S	AJPR40 base / STANDARD style / No bowl filler / STANDARD gun	

Optional Panel Fixing Kits available

AJ-PANELFIX-KIT

Panel-Fixing Kit
For panel mounted models:
AJPR15 and AJPR40.

AJPR-RS

Restraining Device
Prevents the spray arm from being overstretched or pulled into the sink.

18 AJSG019F

18a AJSG019EcO

10 AJOS009 / AJOS009-SHORT

11 AJHA010 / AJHA010-SHORT

12 AJWP015

16 AJSG019

17 AJSG019A

19 AJFP022L

Items 11, 16, 17, 18, 18a, 20 & 33 are available as 1/2-inch BSP for an additional cost

20 AJGH020

23 AJGT023

30 AJGRK041

30a AJ-SPRING

12 AJWP015

33 AJA044

09 AJSR008 / AJSR008-SHORT

15 AJRH018

14 AJWB017 / AJWB017-DBL

36 AJSGB046

21 AJRR021

22 AJFP022

28 AJR...

13 AJOP016

39 AJBFB048

31 AJVBF042

37 AJBC047

25 AJTD027

38 AJLT026

37 AJBC047

29 AJBF040

06 AJRT005

26 AJVCH028

08 AJRT007

AQUAJET 10

AQUAJET 15
WALL MOUNTED

AQUAJET 20

32 AJ20 YO43

AQUAJET 30

34 AJ30AI045

AQUAJET 40
WALL MOUNTED

35 AJ40AI045

01 AJD001

02 AJD015

03 AJD002

04 AJD003

05 AJD004

AQUAJET 10, 15, 20, 30 & 40 SPARE PARTS

Note: Some parts also fit AquaJet faucets.

|	Model	Part	
01	AJD001	Pre-Rinse Spray Body Deck for AJ-PR-10	
02	AJD015	Pre-Rinse Spray Body Deck for AJ-PR-15	
03	AJD002	Pre-Rinse Spray Body Deck for AJ-PR-20	
04	AJD003	Pre-Rinse Spray Body Deck for AJ-PR-30	
05	AJD004	Pre-Rinse Spray Body Deck for AJ-PR-40	
06	AJRT005	500mm Riser	
07	AJRT006	350mm Riser	
07a	AJRT002	200mm Riser (for SS models only)	
08	AJRT007	100mm Riser	
09	AJSR008	Spring Retainer	
09a	AJSR008-SHORT	Spring Retainer (for Short models only)	
10	AJOS009	Outer Support Spring	
10a	AJOS009-SHORT	Outer Support Spring (for Short models only)	
11	AJHA010*	Complete Inner & Outer Hose Assembly, c/w End Fittings	
11a	AJHA010-SHORT*	Complete Inner & Outer Hose Assembly, c/w End Fittings (for Short models only)	
12	AJWP015	Hose Assembly Washer Pack (3 washers)	
13	AJOP016	Spout "O" Ring Pack (2 x "O" rings)	
14	AJWB017	Wall Bracket (Length: 300mm; dia. 17.15mm)	
14a	AJWB017-DLB	Double Length Wall Bracket (Length: 600mm; dia. 17.15mm)	
15	AJRH018	Riser Hook for Pre-Rinse Spray Head	
16	AJSG019*	Complete Pre-Rinse Spray Gun Assembly Standard Rose Head	
17	AJSG019A*	Complete Pre-Rinse Spray Gun Assembly Angled Rose Head	
18	AJSG019F*	Complete Pre-Rinse Spray Gun Assembly Fan Blade Head	
18a	AJSG019EcO*	Complete Pre-Rinse Spray Gun Assembly "EcO" Water Saving Head	

|	Model	Part	
19	AJFP022L	Water Saving Face Plate (for Standard Rose Head & Angled Rose Head Guns only)	
20	AJGH020*	Spray Gun Handle & Washer	
21	AJRR021	Rubber Ring	
22	AJFP022	Faceplate & Screw	
23	AJGT023	Trigger (includes screw)	
25	AJTD027	2 Red, 2 Blue Inserts & 2 Screws	
26	AJVCH028	1 Valve Body (fits hot on Lever Head Body or hot & cold on Cross Head Body)	
27	AJVC029	1 Valve Body (fits cold ONLY) for Lever Head Body	
Replacement Spouts for Bowl Fillers & Faucets:			
28a	AJRS031	150mm (6-inch)	
28b	AJRGS032	150mm (6-inch) Gooseneck	
28c	AJRS035	300mm (12-inch)	
28d	AJRS037	400mm (16-inch)	
28e	AJRSD038	450mm (18-inch) Double Jointed	
29	AJBF040	Bowl Filler Body	
30	AJGRK041	Spray Gun Valve Repair Kit	
30a	AJ-SPRING	Spray Gun Valve Spring ONLY	
31	AJVBF042	1 Valve Body (for bowl filler ONLY)	
32	AJ20Y043	AJ-PR-20 Brass Yoke & Washer	
33	AJA044*	Hose Adapter	
34	AJ30AI045	AJ-PR-30 Adjustable Inlet & Washer (sold individually)	
35	AJ40AI045	AJ-PR-40 Adjustable Inlet & Washer (sold individually)	
36	AJSGB046	Spray Gun Body ONLY	
37	AJBC047	Valve Bonnet & Packing Gland	
38	AJLT026	Pair (H&C) 63mm Chrome Lever (Replacement Cold Valve AJVC029 also required)	
39	AJBFB048	Bowl Filler Body ONLY (no valve assembly)	

NOTE: 1/2-inch BSP versions.

SINGLE WATER FEED WALL-MOUNTED PRE-RINSE SPRAY with built-in water inlet valve, integral restraining wire and gun hook for storage. Recommended water pressure: 22.5 - 75psi (1.5 - 5 bar). Maximum water temperature: 131°F (55°C)

Ideal for pre-rinsing dishes or for rinsing and washing vegetables & other food (when connected to a potable water supply).

192
135
300
95
55
800
1120 Extended

1/2-inch BSP Female Water Connection

MANUFACTURING IN BRITAIN. MANUFACTURING IN BRITAIN.

Wipe-clean surfaces promote good hygiene

Water connection & inlet valve inbuilt

Built-in restraining device prevents the over-extension of hose into the dishwasher

AJ-PR-50 in the 'stored' position

Gun Hook

Valve Turned OFF

Easy to clean, coiled hose absorbs the wear & tear from twisting the gun to spray dishes

Angled spray gun for easy use

Optional water-saving face plate, available at no extra cost.
Save up to 25% in water costs!

Water Savings!

PRE-ASSEMBLED AND PRE-TESTED

AquaJet 50

| Model	Description	
AJPR50-2	AquaJet 50 with STANDARD angled spray gun	
AJPR50-2-W	AquaJet 50 with WATER-SAVING angled spray gun - delivers up to 25% water savings.	

AQUAJET 50 SPARE PARTS

	Model	Part
40	**AJ50MC040**	Moulded Cover
41	**AJ50IH041**	Inner Hose
42	**AJ50IF042**	Inner Fabrication with Restrainer
43	**AJ50BN043**	Coiled Hose Backnut
44	**AJ50IV044**	Ball Valve (complete)
45	**AJ50SG0451/2**	Angled Gun (1/2-in BSP)
46	**AJ50SH046**	Coiled Hose
47	**AJ50HP047**	Gun Handle Hook
48	**AJGH020H1/2**	Spray Gun Handle & Washer (1/2-in BSP)

NB: Prices for diagram parts numbered 19, 21, 23 and 30, please see preceding page.

41
AJ50IH041

40
AJ50MC040

42
AJ50IF042

43
AJ50BN043

44
AJ50IV044

47
AJ50HP047

46
AJ50SH046

48
AJGH020H1/2

30
AJGRK041

45
AJ50SG0451/2

21
AJRR021

23
AJGT023

19
AJFP022L

If a mixed water supply on the Aquajet 50 is preferred, consider adding a mixer valve.
We recommend the M-MX91.