



EC09 - Lincat Electric Counter-top Convection Oven - W 766 mm - D 840mm - 7.5 kW

Bake off everything from pies, pastries, pizzas roasts, pizzas, bakery products to baking off chilled or frozen convenience bakery products easily and efficiently with this powerful 7.5kW Lincat Electric Convection Oven.

- ✓ The larger and more powerful EC09 is perfect for baking off chilled or frozen convenience bakery products.
- ✓ The excellent twin fan air circulation system delivers a highly efficient air circulation ensuring consistent and even cooking and faster cooking times.
- ✓ Accommodates 1/1GN containers for convenient operation. Adjustable shelf supports to accept 600mm x 400mm standard baking trays
- ✓ Fast heat up from cold saves time and money and fast recovery times
- ✓ Water injection facility gives a professional finish to breads and pastries. The useful cook and hold facility reduces oven temperature to 80 degs C at end of cooking period.
- ✓ Double-glazed door for energy efficiency
- ✓ Stackable for added flexibility and to make the best of use of floorspace.
- ✓ Robust stainless steel construction

Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	7.5
Range	Specialist	Temperature Range °C	50-300
Power Type	Electric	IP Rating	IP23
Unit Type	Counter-top	Controls Position	Right hand side
Available in UK Only	No	Temperature Control	Mechanical
UK Warranty	2 Years Parts and Labour Warranty	Timer Range mins	1-45; 1-180
Export Warranty	Contact your local dealer	Oven Rating kW	7.5
GTIN	5056105101680		




Key Specifications		Capacity	
Stackable	Yes	Gastronorm Capacity	4 x GN1/1
Feet Height/Type	25mm/adjustable	Euronorm Capacity	3
Continuous Plug-In Door Seal	Yes	Shelf Spacing mm	110
Removable Inner Door Glass	Yes	Sheet Pan Capacity	4 x 460 mm x 330 mm
Handle Type	Pendulum	Capacity Litres	170.0
Vented Door	Yes		
Reversible Door	No		
Door Type	Left Hinged		
Phased Cooking	No		
Shelf Timer(s) (Number)	No		
Grill Element/Mode	No		
Core Temp Probe	No		
Steam Injection	Yes		
Fan(s) Speed	1		
Fan(s) Type	Single Direction		
Number of Fan(s)	2		
Euronorm Compatible	Yes		
Sheet Pan Compatible	Yes		
Removeable Shelf Guides	Yes		
Manual Mode	Yes		
Programmable	No		
Timer Type	2 x Mechanical		
Number of Shelves included	4		
Number of Shelf Positions	4		
Type of Lighting	Filament Bulb		
Construction/Finish	430 S/S exterior/cavity		
GN Compatible	Yes		

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	652	Requires Installation	Yes
Unit Width (External) mm	766	Requires Electrical Supply	Yes
Unit Depth (External) mm	840	UK 3 Pin Plug	No
Height (Internal) mm	510	Requires Hardwiring	Yes
Width (Internal) mm	480	Electrical Supply Rating Watts	7,500
Depth (Internal) mm	700	Single Phase Amps	32.6
Shelf Dimensions Width mm	530	Single Phase Voltage	230
Shelf Dimensions Depth mm	325	Three Phase Amps	L1=6.7; L2=13.0; L3=13.0
Net Weight Kg	95.9	Three Phase Voltage	400
		Water Connection Pressure Bar	0.2-10.0
		Drain Connection	No
		Water Connection	3/4" BSPT
		USB Port	No

Shipping	
Packed Weight Kg	105.49
Packed Height cm	73
Packed Width cm	94.5
Packed Depth cm	90

Available Accessories	
ECO9/FS	ECO9 FLOORSTAND
ECO9/FSBT	ECO9 FLOORSTAND FOR BAKING TRAYS
ECO9/LFS	ECO9 LOW FLOORSTAND
ECO9/SK	ECO9 STACKING KIT

Technical Picture



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm